

Since 1994
Annual Administration



Kansas Communities That Care
Student Survey



2020 Community Report Franklin County

Greenbush - The Southeast Kansas Education Service Center
Research and Evaluation Department
947 W. 47 Hwy.
Girard, KS 66743
(620) 724-6281
www.kctcdata.org

Funded by:



Prepared by:




Franklin County Community Report

KANSAS COMMUNITIES THAT CARE SURVEY 2020

Community Reports are only generated for communities with greater than 48% participation. 2020 participation: **71.4%**


30-Day Alcohol Use

The percentage of students in grades 6, 8, 10, and 12 reporting any use of alcohol within the past 30 days (Percent data)




Two Week Binge Drinking

The percentage of students in grades 6, 8, 10, and 12 reporting having five or more drinks in a row on at least one occasion within past two weeks (Percent data)




30-Day Marijuana Use

The percentage of students in grades 6, 8, 10, and 12 reporting any use of marijuana within the past 30 days (Percent data)



30-Day Prescription Drug Misuse (Pain Relievers, Tranquilizers, Stimulants)


The percentage of students in grades 6, 8, 10, and 12 reporting any use of prescription medications (stimulants, tranquilizers, or pain relievers) without a prescription within the past 30 days (Percent data)



30-Day Use - All Substances

Substance	2020 Local Scores	Change From Prior Year	Kansas Scores	Compare to State	5 Year Trend
Beer, Wine, or Hard Liquor	14.56	-4.87	15.85	-1.29	Decreasing
e-Cigarettes	9.12	-6.06	9.77	-0.65	Increasing
Marijuana	6.54	-0.88	6.75	-0.21	Decreasing
Binge Drinking (30 day)	6.09	-2.96	8.04	-1.95	Level
Cigarettes	4.43	0.74	2.51	1.92	Increasing
Rx Drug Misuse (pain relievers, tranquilizers, stimulants)	3.25	-1.77	3.70	-0.45	Level
Inhalants	3.06	2.58	2.85	0.21	Level
Smokeless Tobacco	3.05	-1.71	3.03	0.02	Decreasing
Prescription Pain Reliever Misuse	2.40	-0.48	2.39	0.01	Level
Prescription Stimulant Misuse	1.60	-0.79	1.48	0.12	Level
MDMA (ecstasy)	0.80	0.16	0.47	0.33	Level
Prescription Tranquilizer Misuse	0.80	-0.97	1.19	-0.39	Decreasing
LSD	0.79	0.15	0.83	-0.04	Level
Cocaine / Crack	0.68	0.36	0.47	0.21	Level
Heroin	0.68	0.68	0.28	0.40	Level
Steroids	0.45	-0.67	0.62	-0.17	Level
Methamphetamines	0.34	-0.30	0.31	0.03	Level

Percent of 6th, 8th, 10th, & 12th Graders who report substance use
2020 Arranged Alphabetically



30-Day Alcohol Use

Demographic Information

The percentage of students in grades 6, 8, 10, and 12 reporting any use of alcohol within the past 30 days (Percent data)

Data shown represents percent of students responding At Least Once. Groups with fewer than 20 KCTC survey respondents are not displayed.

Self-Reported Demographic	Community	State
Grade		
6th Grade	4.57%	4.05%
8th Grade	12.17%	10.95%
10th Grade	16.38%	21.53%
12th Grade	25.77%	33.25%
Gender		
Male	13.54%	14.13%
Female	15.65%	17.49%
Race		
White	14.06%	16.92%
African American	22.22%	9.81%
Native Hawaiian / Pacific Islander		13.19%
Asian		8.08%
American Indian / Alaska Native		13.23%
Multi-Race		
Multi-Racial	18.52%	15.69%
Single Race	14.07%	15.95%
Ethnicity		
Hispanic (of any race)	14.63%	17.44%
Not Hispanic or Latino	14.74%	15.43%

30-Day Binge Drinking

Demographic Information

The percentage of students in grades 6, 8, 10, and 12 reporting having five or more drinks on the same occasion at least once within past 30 days. (Percent data - First asked in 2014)

Data shown represents percent of students responding At Least Once. Groups with fewer than 20 KCTC survey respondents are not displayed.

Self-Reported Demographic	Community	State
Grade		
6th Grade	1.04%	1.33%
8th Grade	3.49%	4.09%
10th Grade	6.55%	10.75%
12th Grade	14.14%	20.32%
Gender		
Male	5.82%	7.76%
Female	6.38%	8.31%
Race		
White	5.80%	8.51%
African American	16.67%	5.55%
Native Hawaiian / Pacific Islander		8.02%
Asian		3.19%
American Indian / Alaska Native		6.55%
Multi-Race		
Multi-Racial	7.59%	8.12%
Single Race	6.01%	8.05%
Ethnicity		
Hispanic (of any race)	6.10%	9.33%
Not Hispanic or Latino	6.22%	7.68%

30-Day Marijuana Use

Demographic Information

The percentage of students in grades 6, 8, 10, and 12 reporting any use of marijuana within the past 30 days (Percent data)

Data shown represents percent of students responding At Least Once. Groups with fewer than 20 KCTC survey respondents are not displayed.

Self-Reported Demographic	Community	State
Grade		
6th Grade	0.51%	0.56%
8th Grade	4.17%	3.73%
10th Grade	8.19%	10.35%
12th Grade	13.99%	15.70%
Gender		
Male	5.03%	6.61%
Female	8.14%	6.87%
Race		
White	6.09%	6.41%
African American	22.22%	7.40%
Native Hawaiian / Pacific Islander		6.57%
Asian		3.04%
American Indian / Alaska Native		7.90%
Multi-Race		
Multi-Racial	7.41%	9.05%
Single Race	6.40%	6.39%
Ethnicity		
Hispanic (of any race)	14.63%	9.14%
Not Hispanic or Latino	5.84%	6.04%

30-Day Prescription Drug Misuse (Pain Relievers, Tranquilizers, Stimulants)

Demographic Information

The percentage of students in grades 6, 8, 10, and 12 reporting any use of prescription medications (stimulants, tranquilizers, or pain relievers) without a prescription within the past 30 days (Percent data)

Data shown represents percent of students responding At Least Once. Groups with fewer than 20 KCTC survey respondents are not displayed.

Self-Reported Demographic	Community	State
Grade		
6th Grade	3.23%	2.99%
8th Grade	3.89%	3.98%
10th Grade	2.20%	3.87%
12th Grade	3.65%	4.03%
Gender		
Male	3.38%	3.42%
Female	3.11%	3.97%
Race		
White	3.27%	3.42%
African American	12.50%	4.67%
Native Hawaiian / Pacific Islander		5.03%
Asian		2.43%
American Indian / Alaska Native		4.28%
Multi-Race		
Multi-Racial	2.53%	5.06%
Single Race	3.36%	3.51%
Ethnicity		
Hispanic (of any race)	5.06%	4.49%
Not Hispanic or Latino	3.00%	3.47%


30-Day Alcohol Use

How and Where Data

How do they get it?

During the past 30 days, how did you usually get beer, wine, or hard liquor (for example, vodka, whiskey or gin)


Frequencies for fewer than 20 KCTC survey respondents are not displayed.

Responses:	Frequency:	% Those Drinking:	State %:
I did not drink during the past 30 days	739		
I bought it in a store		2.52%	3.75%
I gave someone else money to buy it		15.97%	20.35%
I borrowed it from someone else		9.24%	12.45%
A person 21 years old or older gave it to me	44	36.97%	29.61%
I took it from a store or family member		14.29%	12.92%
I got it some other way	25	21.01%	20.91%

Where do they drink it? (multiple answers allowed)

During the past 30 days, when you drank beer, wine, or hard liquor (for example, vodka, whiskey, or gin) where did you drink it?

Frequencies for fewer than 20 KCTC survey respondents are not displayed.

Responses:	Frequency:	% Those Drinking:	State %:
School		2.96%	4.45%
My home	84	62.22%	53.76%
Friend's home	60	44.44%	51.33%
Car		5.93%	10.05%
Park or outdoors		13.33%	10.83%
Bar		4.44%	3.90%
Other	38	28.15%	23.95%

Risk and Protective Factor Details

Risk Factors (desire downward trend / negative comparison)

Risk Factors are those specific aspects or conditions of a youth's life experiences that increase the likelihood that he/she will engage in negative or antisocial behavior in adolescence and/or young adulthood. Scale scores represent percentage at risk and are rank ordered by local score. Values highlighted indicate potential area of concern.

Scale	Local Scale Scores	KS Scale Scores	Compare to State	3-5 Year Trend
Lack of Commitment to School	51.70	51.87	-0.17	Increasing
Low Perceived Risk of Harm from Drug Use	50.44	47.28	3.16	Increasing
Low Neighborhood Attachment	49.36	43.33	6.03	Level
Parental Attitude Favorable Toward Antisocial Behavior	44.48	41.27	3.21	Increasing
Community Disorganization	41.82	33.26	8.56	Increasing
Favorable Attitude Toward Antisocial Behavior	41.02	41.26	-0.24	Increasing
Laws & Norms Favorable to Drug Use	40.37	34.89	5.48	Increasing
Poor Family Management	37.94	36.26	1.68	Decreasing
Academic Failure	37.76	37.56	0.20	Increasing
Parental Attitude Favorable Toward Drugs	35.40	30.15	5.25	Increasing
Family Conflict	34.83	33.11	1.72	Decreasing
Interactions with Antisocial Peers	32.38	30.05	2.33	Increasing
Rewards for Antisocial Behavior	31.28	33.19	-1.91	Level
Favorable Attitude Toward Drug Use	26.19	25.20	0.99	Increasing
Family History of Antisocial Behavior	26.17	23.21	2.96	Decreasing
Early Initiation of Problem Behavior	23.52	21.99	1.53	Level
High Perceived Availability of Drugs	18.01	17.53	0.48	Decreasing
Friend's Use of Drugs	17.71	17.30	0.41	Decreasing
Early Initiation of Drug Use	14.53	12.92	1.61	Decreasing
Gang involvement	11.04	10.28	0.76	Decreasing

Protective Factors (desire upward trend / positive comparison)

Protective Factors are those factors that when present in a young person's developmental environment, buffer and protect him/her against development of health and behavior problems. Scale scores represent percentage protected by the following scales and are rank ordered by local score. Values highlighted indicate potential areas of concern.

Scale	Local Scale Scores	KS Scale Scores	Compare to State	3-5 Year Trend
Community Rewards	39.16	40.54	-1.38	Decreasing
School Rewards	49.00	54.15	-5.15	Decreasing
Family Rewards	49.58	57.55	-7.97	Increasing
Family Attachment	51.06	56.87	-5.81	Increasing
Family Opportunity for Involvement	54.71	59.35	-4.64	Increasing
School Opportunities for Involvement	65.05	66.12	-1.07	Increasing
Healthy Beliefs and Clear Standards	67.41	65.70	1.71	Decreasing
Social Skills	74.97	76.75	-1.78	Increasing

Franklin County Risk Factor Profile

The following is a list of risk and protective factors proven to be correlated with substance use. Data and measures for those factors that can produce direct change in youth substance abuse through implementation of evidence-based prevention strategies are detailed on the following pages to help determine priority areas to address.

Risk Factors

**** Data sorted from high to low - High scores are the least desirable outcome (Lower = Better) ****

Enforcement

Alcohol

Laws & Norms Favorable to Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that if a kid drank some beer, wine, or hard liquor in their neighborhood, or the area around where they live, they would NOT be caught by the police.

Approx Num: 971

Compare KS: Equal to

Trend status: **Increasing**

Percent / Rate: 72.52



Enforcement

Tobacco

Laws & Norms Favorable to Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that if a kid smokes cigarettes in their neighborhood, or the area around where they live, they would NOT be caught by the police.

Approx Num: 932

Compare KS: Equal to

Trend status: **Increasing**

Percent / Rate: 69.62



Enforcement

Marijuana

Laws & Norms Favorable to Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that if a kid smokes marijuana in their neighborhood, or the area around where they live, they would NOT be caught by the police.

Approx Num: 850

Compare KS: Equal to

Trend status: **Increasing**

Percent / Rate: 63.45



Social Norms

Marijuana

Risk of Harm

The percentage of youth in grades 6, 8, 10, and 12 who report they think there is NO RISK of harming themselves if they smoke marijuana regularly.

Approx Num: 273

Compare KS: Higher than

Trend status: **Increasing**

Percent / Rate: 20.36



Family Involvement and Functioning

Other Drugs

Family Risk Scale Factor

The percentage of youth in grades 6, 8, 10, and 12 who report that their family does NOT have clear rules about alcohol and drug use.

Approx Num: 247

Compare KS: Equal to

Trend status: **Decreasing**

Percent / Rate: 18.45



Social Availability

Marijuana

Perceived Availability of Drugs

The percentage of youth in grades 6, 8, 10, and 12 who report that if they wanted to get some marijuana, it would be VERY EASY for them to get some.

Approx Num: 235

Compare KS: Higher than

Trend status: **Decreasing**

Percent / Rate: 17.55



Social Norms

Alcohol

Risk of Harm

The percentage of youth in grades 6, 8, 10, and 12 who report they think there is NO RISK of harming themselves if they take one or two drinks of alcohol nearly every day.

Approx Num: 227

Compare KS: Higher than

Trend status: **Increasing**

Percent / Rate: 16.93

**Social Availability**

Tobacco

Perceived Availability of Drugs

The percentage of youth in grades 6, 8, 10, and 12 who report that if they wanted to get some cigarettes, it would be VERY EASY for them to get some.

Approx Num: 203

Compare KS: Higher than

Trend status: Decreasing

Percent / Rate: 15.19

**Social Availability**

Alcohol

Perceived Availability of Drugs

The percentage of youth in grades 6, 8, 10, and 12 who report that if they wanted to get some beer, wine or hard liquor, it would be VERY EASY for them to get some.

Approx Num: 191

Compare KS: Equal to

Trend status: Decreasing

Percent / Rate: 14.30

**Social Norms**

Prescription Drug

Risk of Harm

The percentage of youth in grades 6, 8, 10, and 12 who report they think there is NO RISK of harming themselves if they take prescription drugs that have not been prescribed to them.

Approx Num: 169

Compare KS: Higher than

Trend status: **Increasing**

Percent / Rate: 12.63

**Social Norms**

Tobacco

Risk of Harm

The percentage of youth in grades 6, 8, 10, and 12 who report they think there is NO RISK of harming themselves if they smoke one or more packs of cigarettes per day.

Approx Num: 164

Compare KS: Higher than

Trend status: **Increasing**

Percent / Rate: 12.27

**Retail Availability**

Alcohol

Number of Alcohol Retailers

Per capita number of licensed alcohol retailers in a community based on youth population aged 10-17 (rate per 1,000)

Approx Num: 140

Compare KS: Equal to

Trend status: **Increasing**

Percent / Rate: 10.48

**Social Norms**

Marijuana

Rewards for Antisocial Behavior

The percentage of youth in grades 6, 8, 10, and 12 who report that there is a VERY GOOD CHANCE of being seen as cool if they smoked marijuana.

Approx Num: 67

Compare KS: Equal to

Trend status: Level

Percent / Rate: 4.98

**Social Norms**

Alcohol

Parental Attitude Favorable Toward Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that their parents would feel it is NOT WRONG AT ALL if the youth were to drink beer, wine, or hard liquor regularly.

Approx Num: 56

Compare KS: Higher than

Trend status: Level

Percent / Rate: 4.21



Social Norms

Alcohol

Rewards for Antisocial Behavior

The percentage of youth in grades 6, 8, 10, and 12 who report that there is a VERY GOOD CHANCE of being seen as cool if they began drinking regularly.

Approx Num: 34

Compare KS: Equal to

Trend status: Level



Percent / Rate: 2.51

Social Norms

Marijuana

Parental Attitude Favorable Toward Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that their parents would feel it is NOT WRONG AT ALL if the youth were to smoke marijuana.

Approx Num: 33

Compare KS: Higher than

Trend status: Decreasing



Percent / Rate: 2.47

Social Norms

Tobacco

Rewards for Antisocial Behavior

The percentage of youth in grades 6, 8, 10, and 12 who report that there is a VERY GOOD CHANCE of being seen as cool if they smoked cigarettes.

Approx Num:

Compare KS: Higher than

Trend status: Increasing



Percent / Rate: 1.41

Social Norms

Tobacco

Parental Attitude Favorable Toward Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that their parents would feel it is NOT WRONG AT ALL if the youth were to smoke cigarettes.

Approx Num:

Compare KS: Higher than

Trend status: Level



Percent / Rate: 0.82

Social Norms

Prescription Drug

Parental Attitude Favorable Toward Drug Use

The percentage of youth in grades 6, 8, 10, and 12 who report that their parents would feel it is NOT WRONG AT ALL if the youth were to use prescription drugs that were not prescribed to them.

Approx Num:

Compare KS: Lower than

Trend status: Decreasing



Percent / Rate: 0.35